



**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code **16** 2<sup>nd</sup> floor B Com - SFModel: **UV7NHSS**SI No: **14**

DOI:

Customer Name and Address:

**NAM**

## WARRANTY / CONTRACT DETAILS




Warranty From ..... TO .....

Contract From ..... TO .....

Contract Period **02 Years**

Contact Person:

Ph:

Date Visit Type	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No	Name / Design	Name
				ICR Date		
22.11.22	G.S	Unit service Tank clean	DS A/C			
10.02.23		CAD Resetted	fuse			
28.4.23	G.S	Unit service Tank clean	DS A/C			 Vinodh





**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

**SERVICE CARD**Customer Code : MCRD 2<sup>nd</sup> Floor

Model :

SI No: (10)

DOE: IT Dept.

Customer Name and Address :

NGM

**WARRANTY / CONTRACT DETAILS**




Warranty From..... TO.....

Contract From 1.11.22 TO 31.10.23

Contract Period one year.

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22.11.22	G.S	Unit serviced Tank cleaned	D2 A/C			
21.2.23		Leakage arrested				 Kiroth S.
28.4.23	G.S	Unit serviced Tank cleaned				





**CROSSFIELDS**  
WATER PURIFIERS PRIVATE LIMITED

**SERVICE CARD**

Customer Code : MCRD-G.F-BcA

Model : U77NH SS

SI No (18)

DOI:

Customer Name and Address :

NGM

**WARRANTY / CONTRACT DETAILS**




Warranty From..... TO.....

Contract From..... TO.....

Contract Period one year

Contact Person:

Ph:

Date Visit Type	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No	Name / Design	Name
				ICR Date		
22-11-22	G.S	Unit serviced Tank cleaned	D5 A/C			 Kenneth S.
13-4-23	Leakage	Leakage mended	1/2" S.V cover			 Kenneth S.
28-4-23	G.S	Unit serviced Tank cleaned	D5 A/C			 Kenneth S.







**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : D block G.F

Model : UV7NHC

SI No: (6)

DOI:

Customer Name and Address :

NGM

7 Top

## WARRANTY / CONTRACT DETAILS

Warranty From ..... TO .....

Contract From 1.11.22 TO 31.10.23

Contract Period ..... one year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
02.11.22	G.S	Unit serviced Tank cleaned	DS A/C			
13.3.23		Leakage mended	—			
1.4.23	Leakage	DS handle & Angle work replaced	DS Angle work			
04.4.23	Unit Serviced CS1	Unit serviced Tank cleaned	DS AC Switch			
13.4.23	LDS	SFT UV lamp Replaced	UV lamp (SFT)			

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : ~~00000000~~ - A Block

Model : H7 NC ABS

SI No: 5

DOI: Chemistry Dept.

Customer Name and Address :

NGM

## WARRANTY / CONTRACT DETAILS




Warranty From.....TO.....

Contract From 1.11.22 TO 31.10.23

Contract Period: one year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22.11.22	G.S	Unit Serviced Tank cleaned	DE A/C			
13.3.23		Unit Serviced	sew 4ms			
6.4.23	CSA	Unit Serviced Tank cleaned	DS			 KHOJAS

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code: D Block 2<sup>nd</sup> floor.

Model: UV7NHSJ

SI No: 16

DOI:

Customer Name and Address:

NGM

## WARRANTY / CONTRACT DETAILS





Warranty From..... TO.....

Contract From..... TO.....

Contract Period: one year.

Contact Person:

Ph:

Date Visit Type	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature Name / Design	CSE Signature Name
				ICR No		
				ICR Date		
22.11.22	G.S	Unit serviced Tank cleaned	PS A/C			
2.02.23		CAD Resetted	—			 Kinosh S.
6.4.23	CI1	Unit serviced Tank cleaned	PS A/C			
05.5.23		S. Valve Replaced	S.V			

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code: 'D' blank 1<sup>st</sup> floor.

Model: UV7NHCS

SI No: 15

DOI:

Customer Name and Address:

NGM

## WARRANTY / CONTRACT DETAILS





Warranty From: TO:

Contract From: 01.11.22 TO: 31.10.23

Contract Period: one year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22-11-22	G.S	Unit serviced Tank cleaned	DS A/C			
21-2-23		CAD Reset.				 Kineth S.
6-4-23	GS1	Unit serviced Tank cleaned	DS A/C			
05-5-23		Leakage corrected	—			

**CROSSFIELDS**  
WATER PURIFIERS PRIVATE LIMITED

**SERVICE CARD**

Customer Code : Office Room.

Model : UV+TNC

SI No: (2)

DOI:

Customer Name and Address :

NGM

**WARRANTY / CONTRACT DETAILS**




Warranty From..... TO.....

Contract From 01.11.2022 TO 31.10.23

Contract Period one year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22.11.22	General Service	Unit serviced Tank cleaned	D5 Condo A/C			
6.4.23	CS1	Unit serviced Tank cleaned	D5 A/C			
05.5.23		Flush Conk Repld				

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : office Room .

Model : W/TAC

SI No: ①

DOI:

Customer Name and Address :

NGM

## WARRANTY / CONTRACT DETAILS




Warranty From..... TO.....

Contract From 01.11.2022 TO 31.10.23

Contract Period Only year.

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22.11.22	General Service	Unit serviced Tank cleaned	D5 Gendro A/C			
1.4.23	Leakage	Leakage arrested	Angl ball			Kinosh 
4.4.23	CS1	Unit serviced Tank cleaned	D5 A/C			



**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Model: **UV7NH C**Customer Code: **Boys Hostel**SI No: **(3)**

DOI:

Customer Name and Address:

**NGM**





## WARRANTY / CONTRACT DETAILS

Warranty From..... TO.....

Contract From **01.11.22** TO **31.10.23**Contract Period **One Y-008**

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		Name / Design
Visit Type				ICR Date		
22.11.22	General serviced.	Unit serviced. Tank cleaned.	D5 cand A/C			 Kineth S.
21.02.23		Heater Thermostat Resetted	-			 Kineth S.
25.02.23	Hot	Heater Thermostat & Coil Replaced	Therms tube Bow			 Kineth S.
04.4.23	CSI	Unit serviced Tank cleaned	D5 A/C			 Kineth S.

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Model: HBNC-FRP

Customer Code: Library - 2<sup>nd</sup> Floor

SI No: 8

DOI: Rest Room

Customer Name and Address:

NGM

## WARRANTY / CONTRACT DETAILS






Warranty From..... TO.....

Contract From 1.11.22 TO 31.10.23

Contract Period One year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
				ICR Date		
Visit Type				Name / Design	Name	
22.11.22	G.S	Unit serviced. Tank cleaned	DS A/C			 Kinosh S.
21.02.23		Pump Repleed	Pump 2.IAFuse			 Kinosh S.
13.03.23		fuse Repleed	fuse			 Kinosh S.
1.4.23		S.Valve Repleed	S.V			 Kinosh S.
28.4.23		Unit serviced Tank cleaned	DS A/C			 Kinosh S.

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Model: QVTHSSCustomer Code: MCRD 1<sup>st</sup> floor-SI No: (19)DOI: CT Dept

Customer Name and Address:

NGM

## WARRANTY / CONTRACT DETAILS





Warranty From..... TO.....

Contract From..... TO.....

Contract Period..... One Year.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE
				ICR No		Signature
Visit Type				ICR Date	Name / Design	Name
22.11.22	G.S	Unit serviced Tank cleaned	D5 A/C			
13.03.23		CAD Resetted	-			
1.4.23		S. Valve Replaced	S.V			
28.4.23	G.S	Unit serviced Tank cleaned	D5 A/L			



**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : Library G.F

Model : H6NC-FRP

SI No :

7

DOI :

Entrance

Customer Name and Address :

NGM

## WARRANTY / CONTRACT DETAILS




Warranty From..... TO.....

Contract From 1.11.22 TO 31.10.23










Contract Period one year

Contact Person:

Ph:









Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
22.11.22	G.S	Unit serviced Tank cleaned	D2 A/C			 Vinod S.
21.02.23		Ozone transform Replaced	Trans forms			 Vinod S.
28.4.23	G.S	Unit serviced Tank cleaned				 Vinod S.



3.3.21	C	Unit serviced	-			
19.3.21	C	Leakage corrected	Push down			 Vinodh.S.
20.4.21	C	Leakage corrected	S.v also washed cover			
27.4.21	C	Leakage corrected	-			
16.9.21	C	Leakage corrected	3/4 Tube			
26.10.21	C	Unit serviced	3ft UV lamp UVPCB			 Vinodh.S.
11.11.21	C	Leakage corrected	Push down			 Vinodh.S.
10.12.21	C	Heater the thermostat UVPCB replaced	UVPCB Thermostat			 Vinodh.S.
5.1.22	G.S	Unit serviced	DS candle A/C			





19.12.21	C	UV Lamp (3FT) replaced	3FT UV Lamp			 Wineth S.
5.1.22	G.S	Unit serviced Tonic cleaned	D5 A/C			
28.2.22	G.S	Unit serviced				
02.5.22	G.S	3FT UV Chamber and UV Lamp (36W) Replaced	3FT UV Chamber UV Lamp (36W)			 Wineth S.
17.6.22	Leakey	Push Couk Replaced	Push couk			
2.7.22	LD3	36W Chouk replaced	3FT Chouk			
28.9.22	LD4	UV PCB Replaced	PCB			
19.12.22	Leakey	Push Couk with Flange Replaced	Push couk			

main Block, chemistry lab

<b>CROSSFIELDS</b> WATER PURIFIERS PRIVATE LIMITED	<b>SERVICE CARD</b>	Customer Code : <del>MEA SF/w</del> Nearo.	
	Model : Hima <del>7</del> Nc	SI No:	DOI:
Customer Name and Address : NCM College.		<b>WARRANTY / CONTRACT DETAILS</b> Warranty From..... TO..... Contract From..... TO..... Contract Period.....	
Contact Person:		Ph:	

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20 c	General serviu	Unit service	D <sub>2</sub> candle 2 NO			<del>Handwritten Signature</del> Manojit
18.09.20	CS2	Unit serviced Tank cleaned	D <sub>2</sub> candle Carbon			<del>Handwritten Signature</del>
26/3/21	c	UV lamp replaced	UV lamp 3ft			<del>Handwritten Signature</del>
2.9.21	c	S. valve repped				<del>Handwritten Signature</del>
11.11.21	c	leakage corrected	Flush cane			<del>Handwritten Signature</del>



**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : MCRD 2nd Floor (W)

Model : Hima 600c

SI No:

DOI:

Customer Name and Address :

NCM Collage.

## WARRANTY / CONTRACT DETAILS






Warranty From..... TO.....








Contract From..... TO.....

Contract Period.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20	General Service	Unit service	D2 candle 200			 Manoj T
20.8.20	Nonatal	Pump replace	Pump			 Ansh
18.09.20	CSE	Unit service Tank cleaned	D2 candle Carbon			 Ansh
20.11.21	C	Leakage checked	Push candle			 Ansh
12.08.21	C	Leakage checked MPUB replaced	MPUB Level sensor LED Green			 Ansh

12.9.21	CALL Service	CAD Resetted				
						Vinoth-S
5.1.22	G.S	Unit serviced	DS A/C			
24.2.22	G.S	Unit serviced				
2.4.22	Notated	Pump replaced	Pump			
2.8.22	LD3+4	CAD Resetted				
0.11.10	Leakage	Push work Replaced	Push work			
						Vinoth-S
8.11.22	Leakage	Push work replaced	Push work			

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : Boys HOPEModel : UV7 NC-ABS

SI No:

DOI:

Customer Name and Address :

NGIM College

## WARRANTY / CONTRACT DETAILS






Warranty From..... TO.....

Contract From..... TO.....

Contract Period.....

Contact Person:

Ph:

Date Visit Type	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature Name / Design	CSE Signature Name
				ICR No ICR Date		
12-06-20	Call Served	Unit serviced	D2 candle & HO/S			
18-09-20	CS2	Unit serviced Tank cleaned	D2 candle Carbon			
11-09-21	C	D5 candle replaced	D5 candle			
8-9-21	C	Unit serviced	D5 candle D5 bowl			
22-9-21	C	Tank cleaned	-16A switch			



**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Model: Himabonic

Customer Code: MIB Library. ~~1st~~ 2nd Floor

SI No:

DOI:

Customer Name and Address:

NGM college

## WARRANTY / CONTRACT DETAILS

Warranty From.....TO.....

Contract From.....TO.....









Contract Period.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		Name / Design
Visit Type				ICR Date		
17/06/20	General Serviu	Unit service	DS candle			Sethukumar
e			1 No			
16.09.20	No water	Probe assy Repld	level sensor			Vinoth S
18.09.20	CS2	Unit serviced Tank cleaned	DS candle Carbon			Vinoth S
06.11.20	Leakage	CAD reseted				Vinoth S
23.10.21	Leakage	Leakage mstkd Push cock and washer replcd	Push cock & washer			Vinoth S



11.11.21	Heater Compressor	Heater coil replaced	boiler coil			
10.12.21	Leakage	Leakage arrested	Push Coup			
5.1.22	G.S	Unit serviced Tank cleaned	D5 Call km			
23.2.22	G.S	Unit serviced				
3.3.22	Nowater	Main PCB replaced	MPCB			
2.5.22	Leakage	Push work rectified	Push work			
2.8.22	CALL Service	CAD resetted	—			
13.10.22	Nowater	Leakage arrested	S-Valve			 ramoth.S

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : Main building (Office)

Model : UV+NCABS

SI No:

DOI:

Customer Name and Address :

NGM College  
 Palakad road, Pollachi

## WARRANTY / CONTRACT DETAILS






Warranty From.....TO.....








Contract From.....TO.....

Contract Period: one year

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
19.05.20	General Service	Unit serviced Biocide done	D5 Coagule trials			 Vinodh S
CS 1						
10.08.20	Call Service	CAD resetted 16ASwitch repled	16A Switch			 Vinodh S
C						
20.8.20	LED Complaint	LED Assy Replaced	LED ASSY + CAD			 Vinodh S
18.09.20	CS 2	Unit serviced Tank cleaned	D2 Coag Carbon			 Vinodh S
27.7.21	C	Unit serviced	S. valve ring (D2)			 Vinodh S

12.9.21	leakage	leakage arrested	PNBh work			
26.10.21	No water	UV lamp replaced	BFT UVamp			 Vinoth's
18.12.21	C	3FT UVamp replaced	3FT UV lamp			 Vinoth's
5.1.22	G.S	Unit serviced Tank cleaned	D5 carbon			
3.01.22	G.S	Unit checked CAD reset	—			
23.2.22	G.S	Unit serviced				
4.4.22	CALL Sanyu	3FT UV lamp Replaced	3FT UVamp			

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

**SERVICE CARD**Customer Code : Main block 1<sup>st</sup> floor (Maths)

Model : Hima b n c

SI No:

DOI:

Customer Name and Address :

Nym College.

**WARRANTY / CONTRACT DETAILS**

Warranty From..... TO.....

Contract From..... TO.....

Contract Period.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20	Unit Serviced	Unit service	D2 Comdu & No			Sathishkumar
c						
20.8.20	Noward	CAD reseted				Sathishkumar
8.9.21	Leakage	Level sensor replaced				Sathishkumar
15.11.21	CAD	CAD Reseted				Sathishkumar
5.1.22						
5.1.22	G.S	Unit serviced Tank cleaned	DS A/C			Kineth.S



# CROSSFIELDS

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : Main Block G/F/W ①

Model :

SI No: *officer Near*

DOI:

Customer Name and Address :

*NUM College.*

### WARRANTY / CONTRACT DETAILS

Warranty From.....TO.....

Contract From.....TO.....

Contract Period.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
<i>17/06/20</i>	<i>General Service</i>	<i>unit service</i>	<i>D2 candle</i>			<i>[Signature]</i>
<i>C</i>						
<i>18.09.20</i>	<i>CS2</i>	<i>Unit serviced. Tank cleaned</i>	<i>D5 candle</i>			<i>[Signature]</i>
<i>01.02.21</i>	<i>C</i>	<i>Solenoid valve repled</i>				<i>[Signature]</i>
<i>20.02.21</i>	<i>C</i>	<i>CAP reseted leakage mstred</i>	<i>Tube 2 mtr</i>			<i>[Signature]</i>
<i>10.12.21</i>	<i>C</i>	<i>Unit serviced</i>	<i>Push cont</i>			<i>[Signature]</i>

5.1.22

G.S

Unit serviced  
Tank cleaned

D5

A/c

23.2.22

G.S

Unit serviced

2.8.2

G.S

Unit serviced

—

28.9.22

Mould

Level sensor  
Replaced

Phone

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code :

Sports Room

Model :

SI No:

DOI:

Customer Name and Address :

Nmm college, pollachi

## WARRANTY / CONTRACT DETAILS

Warranty From..... TO.....

Contract From..... TO.....

Contract Period.....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		Name / Design
Visit Type				ICR Date		
17/6/20	General Serviced.	* mlt serviced	* DS Candle 2 No's			Jan
C						Setish
08.4.21	C	* S. valve replaced * OLP relay replaced	S. V OLP Relay			Jan
23.10.21	General Service	Unit serviced Tank cleaned	DS Candle			Jan Vinodh S
5.1.22	G.S	Unit serviced Tank cleaned	DS A/C			Jan
24.2.22	G.S	Unit serviced				Jan



**SERVICE CARD**

Customer Code : MCRD 2nd Floor (E)

Model : Hima 6NC

SI No: \_\_\_\_\_

DOI: \_\_\_\_\_

Customer Name and Address :  
NCIM collage

**WARRANTY / CONTRACT DETAILS**

Warranty From..... TO.....

Contract From..... TO.....

Contract Period.....

Contact Person: \_\_\_\_\_

Ph: \_\_\_\_\_

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20	General Service	Unit service	D2 candle			Manoj T
C			2NO			
20.8.20	Nonwater	S. valve replaced Leakage stopped	S. V			Manoj T
18.09.20	CS 2	Unit serviced Tank cleaned	D2 candle carbon			Manoj T
09.02.21	C	Leakage stopped	Push button			Manoj T
5.03.21	C	Unit serviced	Level Sensor			Manoj T

17.3.21	C	M/c disconnected	—			2/21
23.10.21	C	S. valve and Fuse replaced	S. valve Fuse 750mA			2/21
10.12.21	C	Unit serviced	S. valve			2/21
29.12.21	C	Level sensor replaced	Level sensor			2/21
05.01.22	Gierbol Service	Unit serviced	D5 Carbon			2/21
24.2.22	G.S	Unit serviced				2/21
2.8.22	—	Fuse replaced	750mA			2/21
28.4.22	—	S. valve Repled	S. V			2/21

**CROSSFIELDS**

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : ~~1178~~ ~~1178~~ 5F

Model : Himab NC

SI No: Library

DOI:

Customer Name and Address :

NCM College.

## WARRANTY / CONTRACT DETAILS





Warranty From ..... TO .....










Contract From ..... TO .....

Contract Period .....

Contact Person:

Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20	General service	Unit service	D2 Candle 2 NO			
C						Sathish Kumar S
18.09.20	CS2	Unit service Tank cleaned	Discards Carbon			
						Vinod S
06.11.20	Leakage	Leakage checked	Push cups washed Flange			
						Vinod S
09.02.21	Leakage	Angle valve replaced Tube replaced	Tube Angle valve			
						Vinod S

3.03.21	C	Leakage mstrd	clump					
19.3.21	C	MPCB & Level Sensor replaced	MPCB Sensor					 Vinoth.S
23.10.21	C	Fuse replaced						 Vinoth.S
11.11.21	C	GAD Resetted						
5.1.22	G.S	Unit serviced Taxi demand	DT A/C					
24.2.22	G.S	Unit serviced						
2.5.22	G.S	Pump replaced	Pump					
17.6.22	G.S	Wump replaced	W ump					
28.9.22		MICB Repnd	MICB					





# CROSSFIELDS

WATER PURIFIERS PRIVATE LIMITED

## SERVICE CARD

Customer Code : Mess - Ladies Hostel

Model : UViolet 7 NHC

SI No:

DOI:

Customer Name and Address :  
N/Gm lollage.





### WARRANTY / CONTRACT DETAILS

Warranty From..... TO.....

Contract From..... TO.....

Contract Period.....

Contact Person: Ph:

Date	Nature of Complaint	Work Done	Parts Replaced	Amount	Customer Signature	CSE Signature
				ICR No		
Visit Type				ICR Date	Name / Design	Name
17/06/20	General service	Unit service	DS candle			
General service						
11.01.21	General Service	Unit serviced Tank cleaned	DS candle			
09.02.21	C.	Unit serviced Tank cleaned	Cooling fan motor DS candle carbon			
18.12.21	C	Unit serviced Tank cleaned	DS candle UV lamp 3FR			

5.1.22	G.S	Unit serviced Tank cleaned	DS A/C			
28.2.22	G.S	Unit serviced				
8.11.22	Leakage on	Tube Replaced	Tube			
19.12.22		CAD Reset	-			

[Signature]

[Signature]

[Signature]

W. J. [Signature]

[Signature]





## **Nallamuthu Gounder Mahalingam College**

An Autonomous Institution, Affiliated to Bharathiar University,  
90, Palghat Road, Pollachi - 642001, Tamilnadu, INDIA, Coimbatore

---

### **7.1.4 Water Analysis**

<https://acrobat.adobe.com/link/track?uri=urn:aaid:scds:US:461fb7ac-256d-4b20-833d-4b36e37fbac4>

---